

机床附件

MACHINE TOOL ACCESSORIES



机床附件

MACHINE TOOL ACCESSORIES

JXT25-50 快换铣夹头

JXT25-50 QUICK ACTION MILLING CHUCK



MACHINE TOOL
ACCESSORIES
机床附件

JXT25-50 套装	JXT25-50 Suit
规格 / 型号 Model	JXT25-50
快换主体一支	quick-action mount 1PCS
45-C32 强力刀柄一支	45-C32 collet chuck 1PCS
C32-6/8/10/12/14/16/18/20/25 共 8 支	C32-6/8/10/12/14/16/18/20/25-8PCS
快换中间套 45-MT2 一支	45-MT2 Quick change Morse set 1PCS
快换中间套 45-MT3 一支	45-MT3 Quick change Morse set 1PCS
快换中间套 45-MT4 一支	45-MT4 Quick change Morse set 1PCS
快换钻接杆 B16 一支	B16 Drill chuck arbors 1PCS
1-13mm 钻夹头一支	1-13mm Drill chuck 1PCS
45-FMB40 铣刀柄一支	45-FMB40 Milling cutter shank 1PCS
C32 勾头扳手一支	C32 spanner 1PCS
C42 勾头扳手一支	C42 spanner 1PCS

特点:




◎ JXT25-50 型快换铣夹头适用于各种镗床 / 铣床使用，锥柄分为：莫氏 MTA5/MTA6/ 公制 80。7:24 锥度 BT50/NT50/JT50 等。多种刀柄能快速更换，尤其适用于立铣、卧铣上进行立铣、面铣、钻孔、镗孔作业，不但更换刀具简单迅速，而且能大大地减轻工人的劳动强度，缩短辅助时间，是当前铣床和同类机床不可缺少的附件之一。

Features:

◎ Type JXT25-50 milling chuck is designed for the milling machines with spindle with taperhole of 7:24 and large end diameter of 69.85mm.It features high clamping force(Max 40-50 tons),highcentering accuracy,cufter change casy,especially for those cutters changed frequently, it will show its advanteges.It's not only changing cutters easily and rapidly,but also reducing the labour intensity needed and shortening the chip-to-chip time.It is one of important accessories for milling machines and other machine tools at present.

JXT25-50 主体


JXT25-50 SUBJECT



规格 / 型号 Model	MTA.NO	L	L1	L2	H	G	精度 Accuracy
MTA5-45	莫氏 MTA5	290	40	35	13	44.399	0.01
MTA6-45	莫氏 MTA6	290	40	45	17	63.348	0.01
公制 80-45	公制 80	290	45	55	20	80	0.01

扁尾型莫氏钻接杆

MORSE TAPER DRILL CHUCK ARBORS WITH TANG




MTA	规格 / 型号 Model	L	L1	L2	D	d	a	NO.S
MTA1	MTA1-J0	79	65	14	12.065	6.350	3.5	J0
MTA1	MTA1-J1	85	65	20	12.065	9.754	3.5	J1
MTA1	MTA1-J2	90	65	25	12.065	14.199	3.5	J2
MTA1	MTA1-J3	99	65	34	12.065	20.599	3.5	J3
MTA1	MTA1-J6	94	65	29	12.065	17.170	3.5	J6
MTA1	MTA1-J33	94	65	29	12.065	15.850	3.5	J33
MTA1	MTA1-B10	86	65	21	12.065	10.094	3.5	B10
MTA1	MTA1-B12	90	65	25	12.065	12.065	3.5	B12
MTA1	MTA1-B16	97	65	32	12.065	15.733	3.5	B16
MTA1	MTA1-B18	105	65	40	12.065	17.780	3.5	B18
MTA2	MTA2-J0	94	80	14	17.780	6.350	5	J0
MTA2	MTA2-J1	100	80	20	17.780	9.754	5	J1
MTA2	MTA2-J2	105	80	25	17.780	14.199	5	J2
MTA2	MTA2-J3	114	80	34	17.780	20.599	5	J3
MTA2	MTA2-J4	125	80	45	17.780	28.550	5	J4
MTA2	MTA2-J5	130	80	50	17.780	35.890	5	J5
MTA2	MTA2-J6	108	80	28	17.780	17.170	5	J6
MTA2	MTA2-J33	108	80	28	17.780	15.850	5	J33
MTA2	MTA2-B10	101	80	21	17.780	10.094	5	B10
MTA2	MTA2-B12	105	80	25	17.780	12.065	5	B12
MTA2	MTA2-B16	112	80	32	17.780	15.733	5	B16
MTA2	MTA2-B18	120	80	40	17.780	17.780	5	B18
MTA2	MTA2-B22	128	80	48	17.780	21.793	5	B22
MTA2	MTA2-B24	138	80	58	17.780	23.825	5	B24
MTA3	MTA3-J1	118	99	19	23.825	9.754	5	J1
MTA3	MTA3-J2	124	99	25	23.825	14.199	5	J2
MTA3	MTA3-J3	133	99	34	23.825	20.599	5	J3
MTA3	MTA3-J4	144	99	45	23.825	28.550	5	J4
MTA3	MTA3-J5	149	99	50	23.825	35.890	5	J5
MTA3	MTA3-J6	127	99	28	23.825	17.170	5	J6
MTA3	MTA3-J33	127	99	28	23.825	15.850	5	J33
MTA3	MTA3-B10	120	99	21	23.825	10.094	5	B10
MTA3	MTA3-B12	124	99	25	23.825	12.065	5	B12
MTA3	MTA3-B16	131	99	32	23.825	15.733	5	B16
MTA3	MTA3-B18	139	99	40	23.825	17.780	5	B18
MTA3	MTA3-B22	147	99	48	23.825	21.793	5	B22
MTA3	MTA3-B24	157	99	58	23.825	23.825	5	B24

机床附件

MACHINE TOOL ACCESSORIES

扁尾型莫氏钻接杆


JXT25-50 SUBJECT



MTA	规格 / 型号 Model	L	L1	L2	D	d	a	NO.S
MTA4	MTA4-J2	149	124	25	31.267	14.199	6.5	J2
MTA4	MTA4-J3	158	124	34	31.267	20.599	6.5	J3
MTA4	MTA4-J4	169	124	45	31.267	28.550	6.5	J4
MTA4	MTA4-J5	174	124	50	31.267	35.890	6.5	J5
MTA4	MTA4-J6	152	124	28	31.267	17.170	6.5	J6
MTA4	MTA4-J33	152	124	28	31.267	15.850	6.5	J33
MTA4	MTA4-B10	145	124	21	31.267	10.094	6.5	B10
MTA4	MTA4-B12	149	124	25	31.267	12.065	6.5	B12
MTA4	MTA4-B16	156	124	32	31.267	15.733	6.5	B16
MTA4	MTA4-B18	164	124	40	31.267	17.780	6.5	B18
MTA4	MTA4-B22	172	124	48	31.267	21.793	6.5	B22
MTA4	MTA4-B24	182	124	58	31.267	23.825	6.5	B24
MTA5	MTA5-J2	181	156	25	44.399	14.199	6.5	J2
MTA5	MTA5-J3	190	156	34	44.399	20.599	6.5	J3
MTA5	MTA5-J4	201	156	45	44.399	28.550	6.5	J4
MTA5	MTA5-J5	206	156	50	44.399	35.890	6.5	J5
MTA5	MTA5-J6	184	156	28	44.399	17.170	6.5	J6
MTA5	MTA5-J33	184	156	28	44.399	15.850	6.5	J33
MTA5	MTA5-B12	181	156	25	44.399	12.065	6.5	B12
MTA5	MTA5-B16	188	156	32	44.399	15.733	6.5	B16
MTA5	MTA5-B18	196	156	40	44.399	17.780	6.5	B18
MTA5	MTA5-B22	204	156	48	44.399	21.793	6.5	B22
MTA5	MTA5-B24	214	156	58	44.399	23.825	6.5	B24
MTA6	MTA6-B16	250	218	32	63.348	15.733	8	B16
MTA6	MTA6-B18	258	218	40	63.348	17.780	8	B18
MTA6	MTA6-B22	266	218	48	63.348	21.793	8	B22
MTA6	MTA6-B24	276	218	58	63.348	23.825	8	B24


后拉型莫氏钻接杆

MORSE TAPER DRILL CHUCK ARBORS WITH DRAW BAR




MTB	规格 / 型号 Model	L	L1	L2	D	d	a	NO.S	螺孔 Screw
MTB1	MTB1-J0	71	57	14	12.065	6.350	3.5	J0	M6*1.0P
MTB1	MTB1-J1	76	57	19	12.065	9.754	3.5	J1	M6*1.0P
MTB1	MTB1-J2	82	57	25	12.065	14.199	3.5	J2	M6*1.0P
MTB1	MTB1-J3	91	57	34	12.065	20.599	3.5	J3	M6*1.0P
MTB1	MTB1-J6	85	57	28	12.065	17.170	3.5	J6	M6*1.0P
MTB1	MTB1-J33	85	57	28	12.065	15.850	3.5	J33	M6*1.0P
MTB1	MTB1-B10	78	57	21	12.065	10.094	3.5	B10	M6*1.0P
MTB1	MTB1-B12	82	57	25	12.065	12.065	3.5	B12	M6*1.0P
MTB1	MTB1-B16	89	57	32	12.065	15.733	3.5	B16	M6*1.0P
MTB1	MTB1-B18	97	57	40	12.065	17.780	3.5	B18	M6*1.0P
MTB2	MTB2-J0	83	69	14	17.780	6.350	5	J0	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J1	88	69	19	17.780	9.754	5	J1	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J2	94	69	25	17.780	14.199	5	J2	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J3	103	69	34	17.780	20.599	5	J3	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J4	114	69	45	17.780	28.550	5	J4	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J5	119	69	50	17.780	35.890	5	J5	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J6	97	69	28	17.780	17.170	5	J6	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-J33	97	69	28	17.780	15.850	5	J33	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B10	90	69	21	17.780	10.094	5	B10	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B12	94	69	25	17.780	12.065	5	B12	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B16	101	69	32	17.780	15.733	5	B16	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B18	109	69	40	17.780	17.780	5	B18	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B22	117	69	48	17.780	21.793	5	B22	M10*1.5P-3/8 " -16UNC
MTB2	MTB2-B24	127	69	58	17.780	23.825	5	B24	M10*1.5P-3/8 " -16UNC
MTB3	MTB3-J1	105	86	19	23.825	9.754	5	J1	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J2	111	86	25	23.825	14.199	5	J2	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J3	120	86	34	23.825	20.599	5	J3	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J4	131	86	45	23.825	28.550	5	J4	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J5	136	86	50	23.825	35.890	5	J5	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J6	114	86	28	23.825	17.170	5	J6	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-J33	114	86	28	23.825	15.850	5	J33	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B10	107	86	21	23.825	10.094	5	B10	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B12	111	86	25	23.825	12.065	5	B12	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B16	118	86	32	23.825	15.733	5	B16	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B18	126	86	40	23.825	17.780	5	B18	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B22	135	86	49	23.825	21.793	5	B22	M12*1.75P-1/2 " -13UNC
MTB3	MTB3-B24	145	86	59	23.825	23.825	5	B24	M12*1.75P-1/2 " -13UNC
MTB4	MTB4-J2	134	109	25	31.267	14.199	6.5	J2	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-J3	143	109	34	31.267	20.599	6.5	J3	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-J4	154	109	45	31.267	28.550	6.5	J4	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-J5	159	109	50	31.267	35.890	6.5	J5	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-J6	137	109	28	31.267	17.170	6.5	J6	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-J33	137	109	28	31.267	15.850	6.5	J33	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B10	130	109	21	31.267	10.094	6.5	B10	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B12	134	109	25	31.267	12.065	6.5	B12	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B16	141	109	32	31.267	15.733	6.5	B16	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B18	149	109	40	31.267	17.780	6.5	B18	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B22	158	109	49	31.267	21.793	6.5	B22	M16*2.0P-5/8 " -11UNC
MTB4	MTB4-B24	168	109	59	31.267	23.825	6.5	B24	M16*2.0P-5/8 " -11UNC

后拉型莫氏钻接杆 MORSE TAPER DRILL CHUCK ARBORS WITH DRAW BAR




MTB	规格 / 型号 Model	L	L1	L2	D	d	a	NO.S	螺孔 Screw
MTB5	MTB5-J2	161	136	25	44.399	14.199	6.5	J2	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-J3	170	136	34	44.399	20.599	6.5	J3	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-J4	181	136	45	44.399	28.550	6.5	J4	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-J5	186	136	50	44.399	35.890	6.5	J5	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-J6	164	136	28	44.399	17.170	6.5	J6	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-J33	164	136	28	44.399	15.850	6.5	J33	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-B16	168	136	32	44.399	15.733	6.5	B16	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-B18	176	136	40	44.399	17.780	6.5	B18	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-B22	185	136	49	44.399	21.793	6.5	B22	M20*2.5P-3/4 " -10UNC
MTB5	MTB5-B24	195	136	59	44.399	23.825	6.5	B24	M20*2.5P-3/4 " -10UNC

直柄钻接杆 STRAIGHT SHANK DRILL CHUCK ARBORS




规格 / 型号 Model	L	L1	L2	C	d	NO.S
C16-B10	80	60	20	16	10.094	B10
C16-B12	85	60	25	16	12.065	B12
C16-B16	92	60	32	16	15.733	B16
C16-B18	100	60	40	16	17.780	B18
C20-B10	80	60	20	20	10.094	B10
C20-B12	85	60	25	20	12.065	B12
C20-B16	92	60	32	20	15.733	B16
C20-B18	100	60	40	20	17.780	B18
C20-B22	108	60	48	20	21.793	B22
C25-B10	95	75	20	25	10.094	B10
C25-B12	100	75	25	25	12.065	B12
C25-B16	107	75	32	25	15.733	B16
C25-B18	115	75	40	25	17.780	B18
C25-B22	123	75	48	25	21.793	B22
C32-B10	95	75	20	32	10.094	B10
C32-B12	100	75	25	32	12.065	B12
C32-B16	107	75	32	32	15.733	B16
C32-B18	115	75	40	32	17.780	B18
C32-B22	123	75	48	32	21.793	B22



规格 / 型号 Model	MT.NO.S	MT.NO.T	L	D	d	A
MT2-MT1	MT2	MT1	45	17.780	12.065	5
MT3-MT1	MT3	MT1	56	23.825	12.066	5
MT3-MT2	MT3	MT2	65	23.825	17.780	5
MT4-MT1	MT4	MT1	70	31.267	12.066	6.5
MT4-MT2	MT4	MT2	70	31.267	17.780	6.5
MT4-MT3	MT4	MT3	75	31.267	23.825	6.5
MT5-MT1	MT5	MT1	85	44.399	12.066	6.5
MT5-MT2	MT5	MT2	85	44.399	17.780	6.5
MT5-MT3	MT5	MT3	95	44.399	23.825	6.5
MT5-MT4	MT5	MT4	100	44.399	31.267	6.5
MT6-MT3	MT6	MT3	110	63.348	23.825	8
MT6-MT4	MT6	MT4	110	63.348	31.267	8
MT6-MT5	MT6	MT5	130	63.348	44.399	8
公制 80-MT4	公制 80	MT4	135	80.00	31.267	8
公制 80-MT5	公制 80	MT5	135	80.00	44.399	8
公制 80-MT6	公制 80	MT6	150	80.00	63.348	8
公制 90-MT5	公制 90	MT5	135	90.00	44.399	10
公制 90-MT6	公制 90	MT6	150	90.00	63.348	10
公制 100-MT5	公制 100	MT5	135	100.00	44.399	10
公制 100-MT6	公制 100	MT6	150	100.00	63.348	10
公制 100- 公制 80	公制 100	公制 80	150	100.00	80.00	10
公制 110-MT5	公制 110	MT5	150	110.00	44.399	12
公制 110-MT6	公制 110	MT6	150	110.00	63.348	12
公制 113-MT5	公制 113	MT5	150	113.00	44.399	12
公制 113-MT6	公制 113	MT6	150	113.00	63.348	12
公制 120-MT5	公制 120	MT5	150	120.00	44.399	12
公制 120-MT6	公制 120	MT6	170	120.00	63.348	12
公制 120- 公制 80	公制 120	公制 80	170	120.00	80.00	12
公制 120- 公制 100	公制 120	公制 100	170	120.00	100.00	12
公制 140-MT5	公制 140	MT5	180	140.00	44.399	12
公制 140-MT6	公制 140	MT6	180	140.00	63.348	12
公制 140- 公制 80	公制 140	公制 80	180	140.00	80.00	12
公制 140- 公制 100	公制 140	公制 100	180	140.00	100.00	12

莫氏中间套


MORSE TAPER SLEEVES



规格 / 型号 Model	MT.NO.S	MT.NO.T	L	D	d	A
BZ2-1	MT2	MT1	74	17.780	12.065	18
BZ3-1	MT3	MT1	80	23.825	12.066	14
BZ3-2	MT3	MT2	80	23.825	17.780	14
BZ4-1	MT4	MT1	90	31.267	12.066	26.5
BZ4-2	MT4	MT2	90	31.267	17.780	26.5
BZ4-3	MT4	MT3	90	31.267	23.825	26.5
BZ5-2	MT5	MT2	110	44.399	17.780	39.5
BZ5-3	MT5	MT3	110	44.399	23.825	39.5
BZ5-4	MT5	MT4	110	44.399	31.268	39.5
BZ6-3	MT6	MT3	130	63.348	23.825	27
BZ6-4	MT6	MT4	130	63.348	31.268	27
BZ6-5	MT6	MT5	130	63.348	44.399	27

螺帽压出顶尖套


WITH REMOVABLE NUT CENTER SLEEVES



规格 / 型号 Model	MT.NO.S	MT.NO.T	L	L1	L2	D	d	a	M	J	J1	H	H1
LMYC-6-5	MT6	MT5	150	120	30	63.348	44.399	8	M68*2.0P	88	70	30	7
LMYC-80-5	公制 80	MT5	180	150	30	80.00	44.399	10	M84*2.0P	118	86	30	7
LMYC-80-6	公制 80	MT6	180	150	30	80.00	63.348	10	M84*2.0P	118	86	30	7
LMYC-90-5	公制 90	MT5	180	150	30	90.00	44.399	10	M94*2.0P	118	96	30	10
LMYC-90-6	公制 90	MT6	180	150	30	90.00	63.348	10	M94*2.0P	118	96	30	10
LMYC-100-5	公制 100	MT5	180	150	30	100.00	44.399	10	M104*2.0P	128	106	30	10
LMYC-100-6	公制 100	MT6	180	150	30	100.00	63.348	10	M104*2.0P	128	106	30	10
LMYC-120-5	公制 120	MT5	180	150	30	120.00	44.399	10	M124*2.0P	148	126	30	10
LMYC-120-6	公制 120	MT6	180	150	30	120.00	63.348	10	M124*2.0P	148	126	30	10

变径套

MORSE TAPER SLEEVES



规格 / 型号 Model	MT.NO.S	MT.NO.T	D	d	L	L1	L2
R51 2-1	2	1	17.78	12.065	92	56	17
R51 3-1	3	1	23.825	12.065	99	56	5
R51 3-2	3	2	23.825	17.78	112	67	18
R51 4-1	4	1	31.267	12.065	124	56	6.5
R51 4-2	4	2	31.267	17.78	124	67	6.5
R51 4-3	4	3	31.267	23.825	140	84	22.5
R51 5-1	5	1	44.399	12.065	156	56	6.5
R51 5-2	5	2	44.399	17.78	156	67	6.5
R51 5-3	5	3	44.399	23.825	156	84	6.5
R51 5-4	5	4	44.399	31.267	171	107	21.5
R51 6-1	6	1	63.348	12.065	218	56	8
R51 6-2	6	2	63.348	17.78	218	67	8
R51 6-3	6	3	63.348	23.825	218	84	8
R51 6-4	6	4	63.348	31.267	218	107	8
R51 6-5	6	5	63.348	44.399	218	135	8
R51 80-4	80	4	80	31.267	228	107	8
R51 80-5	80	5	80	44.399	228	135	8
R51 80-6	80	6	80	63.348	280	188	60
R51 100-5	100	5	100	44.399	270	135	10
R51 100-6	100	6	100	63.348	307	188	47
R51 100-80	100	80	100	80	310	202	50

MACHINE TOOL
ACCESSORIES
机床附件

拆卸楔铁


MORSE SHANK PULLER



型号	L	H	h	H1
1# 楔铁	90	12	4	3
2# 楔铁	140	20	5	5
3# 楔铁	190	25	5	6
4# 楔铁	225	30	5	9
5# 楔铁	265	35	5	14

直柄变径套

SOLID SOCKET WITH MS HOLE (WITH TANG)




规格 / 型号 Model	D(in)	MTA.NO.T	d(mm)	L(in)	规格 / 型号 Model	D(mm)	MTA.NO.T	d(mm)	L(mm)
BSS-3/4XMTA1	3/4	MS1	12.065	3-1/4	BSS-16XMTA1	16	MS1	12.065	90
BSS-1XMTA1	1			3-1/2	BSS-20XMTA1	20			95
BSS-1-1/4XMTA1	1-1/4				BSS-25XMTA1	25			115
BSS-1-1/2XMTA1	1-1/2				BSS-30XMTA1	30			88.9
BSS-1XMTA2	1	MS2	17.780	4	BSS-32XMTA1	32			90
BSS-1-1/4XMTA2	1-1/4				BSS-35XMTA1	35			88.9
BSS-1-1/2XMTA2	1-1/2				BSS-40XMTA1	40			95
BSS-1-3/4XMTA2	1-3/4				BSS-50XMTA1	50			115
BSS-2XMTA2	2				BSS-25XMTA2	25	MS2	17.780	101.6
BSS-2-1/8XMTA2	2-1/8				BSS-30XMTA2	30			102
BSS-1-1/4XMTA3	1-1/4				BSS-32XMTA2	32			101.6
BSS-1-1/2XMTA3	1-1/2				BSS-35XMTA2	35			125
BSS-1-3/4XMTA3	1-3/4	MS3	23.825	4-3/4	BSS-40XMTA2	40			101.6
BSS-2 XMTA3	2				BSS-40XMTA2A	40			135
BSS-2-1/8XMTA3	2-1/8				BSS-50XMTA2	50	MS3	23.825	115
BSS-2-1/4XMTA3	2-1/4				BSS-50XMTA2A	50			120.65
BSS-2-1/2XMTA3	2-1/2				BSS-30XMTA3	30			120
BSS-1-1/2XMTA4	1-1/2				BSS-30XMTA3A	30			120.65
BSS-1-3/4XMTA4	1-3/4	MS4	31.267	6	BSS-32XMTA3	32			135
BSS-2XMTA4	2				BSS-35XMTA3	35			120.65
BSS-2-1/8XMTA4	2-1/8				BSS-36XMTA3	36			175
BSS-2-1/4XMTA4	2-1/4				BSS-40XMTA3	40	MS4	31.267	185
BSS-2-1/2XMTA4	2-1/2				BSS-40XMTA3A	40			152.4
BSS-2-1/4XMTA5	2-1/4	MS5	44.399	7-3/8	BSS-50XMTA3	50			155
BSS-2-1/4XMTA5A	2-1/4			8	BSS-50XMTA3A	50			152.4
BSS-2-1/2XMTA5	2-1/2			7-3/8	BSS-60XMTA3	60			175
BSS-2-1/2XMTA5A	2-1/2			8	BSS-40XMTA4	40	MS5	44.399	187.3
BSS-3-1/2XMTA6	3-1/2	MS6	63.348	10-1/8	BSS-40XMTA4A	40			
					BSS-50XMTA4	50			
					BSS-50XMTA4A	50			
					BSS-60XMTA4	60			
					BSS-50XMTA5	50			
					BSS-60XMTA5	60			

机床附件
MACHINE TOOL
ACCESSORIES

加长变径套

LENGTHEN MORSE TAPER SLEEVES




MACHINE TOOL
ACCESSORIES
机床附件

规格 / 型号 Model	MT.NO.S [外锥]	MT.NO.T [内锥]	L	L1	L2	D	d
2-1-D18-L160	MT2	MT1	160	80	80	18	12.065
2-1-D18-L215	MT2	MT1	215	135	80	18	12.065
2-2-D24-L175	MT2	MT2	175	95	80	24	17.780
2-2-D24-L200	MT2	MT2	200	120	80	24	17.780
2-2-D24-L250	MT2	MT2	250	170	80	24	17.780
2-2-D24-L300	MT2	MT2	300	220	80	24	17.780
2-3-D31-L196	MT2	MT3	196	116	80	31	23.825
2-3-D31-L250	MT2	MT3	250	170	80	31	23.825
2-3-D31-L300	MT2	MT3	300	220	80	31	23.825
3-2-D24-L194	MT3	MT2	194	95	99	24	17.780
3-2-D24-L250	MT3	MT2	250	151	99	24	17.780
3-2-D24-L300	MT3	MT2	300	201	99	24	17.780
3-3-D31-L215	MT3	MT3	215	116	99	31	23.825
3-3-D31-L250	MT3	MT3	250	151	99	31	23.825
3-3-D31-L300	MT3	MT3	300	201	99	31	23.825
3-3-D31-L350	MT3	MT3	350	251	99	31	23.825
3-3-D31-L400	MT3	MT3	400	301	99	31	23.825
3-4-D40-L240	MT3	MT4	240	141	99	40	31.267
3-4-D40-L300	MT3	MT4	300	201	99	40	31.267
4-2-D24-L215	MT4	MT2	215	91	124	24	17.780
4-2-D24-L250	MT4	MT2	250	126	124	24	17.780
4-3-D31-L240	MT4	MT3	240	116	124	31	23.825
4-3-D31-L300	MT4	MT3	300	176	124	31	23.825
4-3-D31-L350	MT4	MT3	350	226	124	31	23.825
4-3-D31-L400	MT4	MT3	400	276	124	31	23.825
4-3-D31-L450	MT4	MT3	450	326	124	31	23.825
4-3-D31-L500	MT4	MT3	500	376	124	31	23.825
4-4-D40-L265	MT4	MT4	265	141	124	40	31.267
4-4-D40-L300	MT4	MT4	300	176	124	40	31.267
4-4-D40-L350	MT4	MT4	350	226	124	40	31.267
4-4-D40-L400	MT4	MT4	400	276	124	40	31.267
4-4-D40-L450	MT4	MT4	450	326	124	40	31.267
4-4-D40-L500	MT4	MT4	500	376	124	40	31.267
4-5-D63-L300	MT4	MT5	300	176	124	63	44.399

加长变径套


LENGTHEN MORSE TAPER SLEEVES



规格 / 型号 Model	MT.NO.S 【外锥】	MT.NO.T 【内锥】	L	L1	L2	D	d
5-3-D32-L268	MT5	MT3	268	112	156	32	23.825
5-3-D32-L300	MT5	MT3	300	144	156	32	23.825
5-3-D32-L350	MT5	MT3	350	194	156	32	23.825
5-3-D32-L400	MT5	MT3	400	244	156	32	23.825
5-4-D40-L300	MT5	MT4	300	144	156	40	31.267
5-4-D40-L350	MT5	MT4	350	194	156	40	31.267
5-4-D40-L400	MT5	MT4	400	244	156	40	31.267
5-4-D40-L450	MT5	MT4	450	294	156	40	31.267
5-4-D40-L500	MT5	MT4	500	344	156	40	31.267
5-4-D40-L550	MT5	MT4	550	394	156	40	31.267
5-4-D40-L600	MT5	MT4	600	444	156	40	31.267
5-5-D58-L335	MT5	MT5	335	179	156	58	44.399
5-5-D58-L350	MT5	MT5	350	194	156	58	44.399
5-5-D58-L400	MT5	MT5	400	244	156	58	44.399
5-5-D58-L450	MT5	MT5	450	294	156	58	44.399
5-5-D58-L500	MT5	MT5	500	344	156	58	44.399
5-5-D58-L550	MT5	MT5	550	394	156	58	44.399
5-5-D58-L600	MT5	MT5	600	444	156	58	44.399
5-6-D78-L390	MT5	MT6	390	234	156	78	63.348
6-4-D40-L355	MT6	MT4	355	137	218	40	31.267
6-4-D40-L400	MT6	MT4	400	182	218	40	31.267
6-4-D40-L450	MT6	MT4	450	232	218	40	31.267
6-4-D40-L500	MT6	MT4	500	282	218	40	31.267
6-5-D58-L390	MT6	MT5	390	172	218	58	44.399
6-5-D58-L450	MT6	MT5	450	232	218	58	44.399
6-5-D58-L500	MT6	MT5	500	282	218	58	44.399
6-5-D58-L550	MT6	MT5	550	332	218	58	44.399
6-5-D58-L600	MT6	MT5	600	382	218	58	44.399
6-6-D78-L465	MT6	MT6	465	247	218	78	63.348
6-6-D78-L500	MT6	MT6	500	282	218	78	63.348
6-6-D78-L550	MT6	MT6	550	332	218	78	63.348
6-6-D78-L600	MT6	MT6	600	382	218	78	63.348

车床拉料器

LATHE PULLER



规格 / 型号 Model	L	L1	L2	D	d	柄规格
LLQ-W16	159	75	47	30	16	方柄
LLQ-W20	159	75	47	30	20	
LLQ-W25	159	75	47	30	25	
LLQ-D16	159	75	47	30	16	圆柄
LLQ-D20	159	75	47	30	20	
LLQ-D25	159	75	47	30	25	
LLQ-D32	159	75	47	30	32	

MACHINE TOOL
ACCESSORIES
机床附件